

Vaya Linear MP Landscape – LED Sign Lighter

Vaya Linear MP Landscape is a reliable and cost effective LED lighting, providing white light for exterior use. Designed as an LED Sign Lighter, the fixture provides a wide beam spread for wall washing applications. Two lengths, two color temperature options and ½”NPS thread mounting make this product versatile and easy to use



Key Features

- Reliable, cost effective LED lighting fixture
- Available in 3000K or 4000K
- 50° Beam Angle
- Auto-ranging 100V – 277V, 50 / 60Hz input
- Interior / Exterior - IP66
- ½”NPS Mount
- 5 Years Limited Warranty


Product Data

Width	64 mm (2.5in)	
Height	102 mm (4.0in) including mounting hinge	
Length	310 mm (1 ft)	1210 mm (4 ft)
Mounting	Location adjustable and tilting surface-mount bracket	
Source	High-brightness White or Mono Color LEDs	
Beam Angle	Elliptical (10° x 50°) or Wide (50°)	
Luminous Flux	840 lumens	3,360 lumens
CRI	80Ra	
Efficacy	58 lm/W	
Lumen Maintenance	50,000 hrs L ₇₀ at 25°C	
Housing	Extruded aluminum, anodized finish RAL7043	
Weight	1.3 kg (2.85 lbs)	3.6kg (7.9 lbs)
Connection	Daisy-chain power input and output connectors	
Lens	Tempered Glass	
Control	On/Off, Not dimmable	
Input Voltage	100V – 277 VAC, 50 / 60Hz	
Power Consumption	18 W (White)	60 W (White)
Temperature Range	-20°C to 40°C (-4°F ~104°F) start-up temperature -40°C to 40°C (-40°F ~104°F) operating temperature	
Protection Rating	IP66, Wet location listed, IK06	
Certifications	UL / cUL, FCC Class A, CE, CB	
Warranty	5 Years	

Photometrics (Per IESNA LM-79):

Vaya Linear MP 3000K, 50deg, 1.2m (4ft)

Polar Candela Distribution



Illuminance at a Distance


	Center Beam LUX	Beam Width
1.3M	2,699.81 LUX	1.2M 1.2M
2.7M	674.95 LUX	2.3M 2.3M
4.0M	299.98 LUX	3.5M 3.5M
5.3M	168.74 LUX	4.7M 4.7M
6.7M	107.99 LUX	5.8M 5.8M
8.0M	74.99 LUX	7.0M 7.0M

■ Vert. Spread: 47.4° ■ Horiz. Spread: 47.3°

1m = 3.28ft

Vaya Linear MP 4000K, 50deg, 1.2m (4ft)

Polar Candela Distribution




Illuminance at a Distance

	Center Beam LUX	Beam Width
1.3M	2,823.54 LUX	1.2M 1.2M
2.7M	705.88 LUX	2.4M 2.3M
4.0M	313.73 LUX	3.5M 3.5M
5.3M	176.47 LUX	4.7M 4.6M
6.7M	112.94 LUX	5.9M 5.8M
8.0M	78.43 LUX	7.1M 6.9M

■ Vert. Spread: 47.7° ■ Horiz. Spread: 46.7°

1m = 3.28ft

Dimensions:



Vaya Linear MP Landscape Ordering Codes:

CCT	Length	Beam Angle	Philips I2NC	Item Number	Certification
3000K	1ft	50°	912400130165	350-000011-48	UL
3000K	4ft	50°	912400130166	350-000011-49	UL
4000K	1ft	50°	912400130167	350-000011-50	UL
4000K	4ft	50°	912400130168	350-000011-51	UL